





https://www.cdgreat-officefurniture.com/

No, 526, Section 1, Shenlin Road, Daya District, Taichung City Taiwan 42865

a +886-4-25679181

☑ cd.great@msa.hinet.net







CD Great Industry Co,Ltd



Company profile

C.D. Great Industry Co., Ltd. was founded in 2002 with a priority on high-quality ergonomic products that improve people's wellness, comfort and productivity. We have experience, capability, and R&D resources to develop and manufacture OEM and ODM products. We also provide comprehensive solutions for clients to refine the design, streamline manufacturing process to reduce costs, making designs possible for manufacturing and appropriate for marketing.

Our products are manufactured under a strict control program with ISO9001 certified. In order to meet each customer's expectation, every step of the manufacturing process is monitored under supervision including incoming material inspection, processing and product inspection, final-product inspection, packaging regular check-ups so that quality and safety standard is guaranteed. Our mission is to provide high-quality products and efficient service with the most innovative designs and attractive prices to our worldwide customers.

Introduction to OEM Capability

OEM/ODM Service

CDG is a professional OEM/ODM service provider, we own years of experience in design and manufacturing.

We offer ergonomic design and verification services for creating a series of innovative products. Cost effective and quality products are what we are concerned for our clients. With quality control laboratory and production management ability, we can be your reliable partner.



ESTABLISHED IN 2002

R&D Capability

- Customized product design
- Prototype development and verification
- Product packaging design



BASED IN TAIWAN

Manufacturing Capability

- 600 containers shipped a year
- Good quality assured in mechanical structure
- Assembly ability for easy installation to end users



QUALITY ASSURED

Quality Control

- Various Inspection Equipments for different testing, including Projection comparator, RoHS
 Analyzer, fatigue, hardness and endurance capability testers to ensure the best quality provided
- Strict quality inspection for incoming material and finished goods
- Quality assurance is maintained at each step of production
- Products are manufactured under a strict control program with ISO 9001 certified

Our Production Facilities













Professional in OEM&ODM service, located in Taiwan.

Specialize in metal parts, goods and end products.




Our QC Facilities











3D Printer





Dia. 300mm / Dia. 600mm

Our ISO9001 Certificate





Certificate TW10/00310


The management system of

C.D. Great Furniture Co., Ltd.

No. 526, Sec. 1, Shen Lin Rd., Da Ya Dist., Taichung City 428, Taiwan R.O.C.

has been assessed and certified as meeting the requirements of ISO 9001:2015

For the following activities Design, Assembling and Sale of TV Stand, TV Mounting Bracket and Furniture.



Authorised by



SGS Linited Kingdom Ltd.

Rossmore Business Park, Ellisamere Port, Cheshire, CH65 3EN, UK 1 +44 (0)151 350-6666 - www.sps.com





This document is issued by the Company subject to its General Conditions of Certification Services accessible at wew.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitations of flability, indemenlication and jurisdictional issues established therein. The authenticity of this document may be verified at http://www.sgs.com/en/certified-clients-and-products/bertified-client-directory. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









Electric Height Adjustable Desk

ED02 2-leg Height Adjustable Desking Frame

Weight Capacity Up to 220 lbs / 100 kgs **Worktop fitting sizes** 42- to 72-inch wide

Table width 34"/863 mm to 64"/1625 mm

Height Adjustable Range 660 mm (Stepless) Height 595 mm to 1255 mm Speed 30 mm / per second

Frame Steel



SP401 CPU PC Holder

Head Connecting Piece Swivel 360°

Material **Aluminum Weight Capacity** 22 lbs/ 10 kgs Width 90-240 mm Height 365-565 mm





Height Adjustable Table

CDG's electric height adjustable desk frame series come with a sleek and sturdy structure which is height adjustable, width expandable and endurable. We offer a desking solution for hassle-free setup with lifting technology incorporated and movement controlled by an easy fingertip touch. With the smart control Memory Function, it is remarkably easy to switch between sitting and standing or any preferable height without interrupting workflow. Simply just pick a desktop and you are all set to go!





ED03 3-leg Height Adjustable Desking Frame

Up to 330 lbs / 150 kgs **Weight Capacity**

Table Frame Opening Closure 90° OR 120°


50.2" / 1275 mm to 80.2" / 2037 mm

Height Adjustable Range 660 mm (Stepless)


Height (Table leg) 23.4" / 595 mm to 49.4" / 1255 mm

2 ways of

Speed









OL001 Sit-Standing, Height Adjustable, Fliptop and Folding Big Table Desk

Material MDF+ Melamine Laminate Desktop Dimension 1,500mm X 700mm Desktop Thickness 18mm Height 75cm~105cm(±1cm) Color White Base Height 132mm Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM Total Weight 48kg				
Desktop Thickness 18mm Height 75cm~105cm(±1cm) Color White Base Height 132mm Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM	Material	MDF+ Melamine Laminate		
Desktop Thickness 18mm Height 75cm~105cm(±1cm) Color White Base Height 132mm Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM	Desktop Dimension	1,500mm X 700mm		
Color White Base Height 132mm Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM		18mm		
Base Height 132mm Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM	Height	75cm~105cm(±1cm)		
Base Material Iron, Plastic, Rubber Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM	Color	White		
Caster Size 2" Weight Capacity 50kg Column Material Aluminum, Iron, POM	Base Height	132mm		
Weight Capacity 50kg Column Material Aluminum, Iron, POM	Base Material	Iron, Plastic, Rubber		
Column Material Aluminum, Iron, POM	Caster Size	2"		
	Weight Capacity			
Total Weight 48kg				
	Total Weight	48kg		



OL002 Mobile Height Adjustable Table with Drawer on Wheels for Student, School and Office Use

Desktop Material	MDF+ Melamine Laminate
Desktop Dimension	700mm X 500mm
Desktop Thickness	18mm
Height	74cm ~ 117cm(±1cm)
Color	White
Base Height	143mm
Base Material	Iron, Plastic, Rubber
Caster Size	2"
Weight Capacity	50kg
Column Material	Aluminum, Iron, POM
Total Weight	19.22kg







HC101 Mobile Height Adjustable Electric Laptop Table Desk on Wheels



HC103 Mobile Height Adjustable Electric Laptop Table Desk with Keyboard Tray on Wheels











(() Mobile Standing Desk

HC104 Electric Sit-Standing Corner Table & **Keyboard Tray(Optional)**

MDF+ Melamine Desktop Material Laminate **Desktop Dimension** 110cm X 60cm **Desktop Thickness** 18_{mm}

Keyboard Dimension 630mm x 240mm

Keyboard Thickness 15mm

73cm ~ 118cm Height (±1cm)

Color Wooden+ White

Base Height 68mm

Iron, Plastic, Aluminum, Material

Iron, POM **Weight Capacity** 50kg

Total Weight 23.36kg

HC105 Electric Height Adjustable Table & **Keyboard Tray(Optional)**

MDF+ Melamine Desktop Material Laminate **Desktop Dimension** 110cm X 60cm **Desktop Thickness** 18_{mm} Keyboard Dimension 630mm x 240mm Keyboard Thickness 15mm

Height

Color

Base Height

Plastic+Iron, Material

Weight Capacity 50kg **Total Weight**



HC106 Electric Height Adjustable Corner Table & **Keyboard Tray(Optional)**

MDF + Melamine **Desktop Material** Laminate **Desktop Dimension** 110cm x 60cm

Desktop Thickness 18mm Keyboard Dimension 630mm x 240mm

Keyboard Thickness 15mm

73cm ~ 118cm

Height (±1cm)

Wooden + White Color

Base Height 35mm

Wooden Board+ Plastic+ Material Iron, Aluminum, Iron,

POM

50kg **Weight Capacity**

Total Weight 22kg

Material

Weight Capacity

Total Weight

HC107 Pneumatic Height Adjustable Table & **Keyboard Tray(Optional)**

MDF + Melamine **Desktop Material** Laminate **Desktop Dimension** 110cm x 60cm **Desktop Thickness** 18_{mm} Keyboard Dimension 630mm x 240mm Keyboard Thickness 15mm 75cm ~ 118cm Height (±1cm) Color Wooden + White **Base Height** 35mm Wooden Board+ Plastic+ Iron, Material Aluminum, Iron, POM


50kg

26kg

Weight Capacity

Total Weight





Plastic+ Iron,

50kg

24kg







SP903 Rolling Standing Desk w/ Large Desktop



SP901-A Mobile Laptop Desk with Side Table

Platform Material	Iron	
Desktop Dimension	Dimension: 52.5 (w) x 30 (d) cm Small tray: 17 (w) x 30 (d) cm Large tray: 35 (w) x 30 (d) cm	
Platform Thickness	1.5 mm	
Tilt	+/- 45°	
Height Range	24.5" - 38" (62 - 96 cm)	
Manual Height Adjustment	+/- 34 cm	
Weight	9 kgs	
Weight Capacity	8-10 kgs	
Base Material	Metal cover and iron plate	
Optional Color	Black White Silver	

SP905 Height Adjustable Rolling Laptop Cart Bed Side Table



SP901-B Mobile Laptop Desk with Side Table

Platform Material	MDF (Medium Density Fiberboard) w/NC printing
Platform Dimension	Dimension: 52.5 (w) x 30 (d) cm Small tray: 17 (w) x 30 (d) cm Large tray: 35 (w) x 30 (d) cm
Platform Thickness	12 mm
Tilt	+/- 45 °
Height Range	24.5" - 38" (62 - 96 cm)
Manual Height Adjustment	+/- 34 cm
Weight	6 kgs
Weight Capacity	8 - 10 kgs
Base Material	Plastic cover and iron plate
Optional Color:	Black White Silver





SP901-C Mobile Laptop Desk with Side Table

Platform Material Glass Dimension: 52.5 (w) x 30 (d) cm Platform Dimension Small tray: 17 (w) x 30 (d) cm Large tray: 35 (w) x 30 (d) cm **Platform Thickness** 5 mm +/- 45° Tilt **Height Range** 24.5" - 38" (62 - 96 cm) **Manual Height** +/- 34 cm Adjustment Weight 6.5 kgs **Weight Capacity** 8 - 10 kgs **Base Material** Glass (10mm thickness) **Optional Color**

SP901-D Mobile Laptop Desk with Side Table

	Platform Material	Iron	
	Platform Dimension	Dimension: 52.5 (w) x 30 (d) cm Small tray: 15 (w) x 30 (d) cm Large tray: 35 (w) x 30 (d) cm	
	Platform Thickness	1.5 mm	
-	Tilt	+/- 45°	
	Height Range	26" - 39" (65.5 - 98.5 cm)	
	Manual Height Adjustment	+/- 34 cm	
	Weight	5 kgs	
	Weight Capacity	8 - 10 kgs	
	Base Material	Iron	
	Optional Color	Black White Silver	-

SP908 Rolling Laptop Desk with Storage Area

MDF (Medium Density **Desktop Material** Fiberboard) w/PVC Origin: 60 x 32 cm **Desktop Dimension**

Extended: 80 x 32 cm **Desktop Thickness**

30" - 35" (76 - 90 cm) **Height Range Height Adjustment** +/- 5.5" (14 cm)

Weight 11 kgs **Weight Capacity** 8 - 10 kgs

MDF (Medium Density **Base Material** Fiberboard) w/PVC





SP909 Rolling Laptop Desk with Magazine Bag

MDF (Medium Density **Desktop Material** Fiberboard) w/PVC Origin: 52 x 30 cm **Desktop Dimension** Extended: 67 x 30 cm **Desktop Thickness** 15 mm **Height Range** 24" - 36" (61 - 91 cm) **Height Adjustment** +/- 12" (30 cm) Weight 7 kgs **Weight Capacity** 8 - 10 kgs

Base Material MDF & Iron Tube

Portable Laptop Desk

SP906 Sit-Stand Desk w/ Large Desktop

MDF (Medium Density **Desktop Material** Fiberboard) w/NC printing

60 (w) x 40 (d) cm **Desktop Dimension**

Desktop Thickness 18mm

24"-38" (62-96cm) **Height Range**

Height Adjustment +/- 34 cm Weight 8.5 kgs **Weight Capacity** 8-10 kgs **Base Material** Iron

Optional Color













SD101 Student Desk Training Table (Bent feet)

Desktop Material	Melamine Faced MDF Board	
Desktop Dimension	793 mm X 537 mm	
Desktop Thickness	25 mm	11.00
Height	75 cm (±0.5 cm)	
Color	Wood / White or Custom Color	1
Wheels	2" PU Wheel	
Weight Capacity	140 kgs	N .
Desk Frame Material	Steel 💰	- 4
Drawer Dimension	364 mm X 270 mm X 106 mm	
Total Weight	17.1 kgs	

SD102 Student Desk Training Table (Beveled feet)

Desktop Material	Melamine Faced MDF Board
Desktop Dimension	793 mm X 537 mm
Desktop Thickness	25 mm
Height	75 cm (±0.5 cm)
Color	Wood / White or Custom Color
Wheels	2" PU Wheel
Weight Capacity	140 kgs
Basement Height	139 mm
Desk Frame Material	Steel
Drawer Dimension	364 mm X 270 mm X 106 mm
Total Weight	14.3 kgs

SD103 Foldable Training Table (Bent feet)

Desktop Material	Melamine Faced MDF Board	
Desktop Dimension	1200 mm x 500 mm	
Desktop Thickness	25 mm	
Height	75 cm (±0.5 cm)	-
Color	Wood / White or Custom Color	
Desk Frame Material	Steel	1
Wheels	2" PU Wheel	_
Weight Capacity	140 kgs	
Drawer Dimension	744 mm X 270 mm X 106 mm	
Total Weight	26.3 kgs	

SD104 Flip Top Table (Beveled feet)

Desktop Material	Melamine Faced MDF Board
Desktop Dimension	1200 mm x 500 mm
Desktop Thickness	25 mm
Height	75 cm (±0.5 cm)
Color	Wood / White or Custom Color
Basement Height	139mm
Desk Frame Material	Steel, rubber
Wheels	2" PU Wheel
Weight Capacity	140 kgs
Drawer Dimension	744 mm X 270 mm X 106 mm
Total Weight	22.3 kgs











SP101 Classic Sit-Stand Height Adjustable Standing Desk Converter

Load Capacity	10~30 lbs / 4.5-13.6 kgs
Depth	600 mm / 23.62"
Minimum Height (when folded)	145 mm / 5.71"
Maximum Height (elevated to the full	490 mm / 19.29"
Tabletop	MDF with Polyurethane Coating
Desk Frame	Steel SPHC PO
Cap	ABS Plastic
Optional Color	Black, White, Wood

SP501 Vertebra Cable Management, Desk Cable Management, Cable Concealer

Application	Any tabletops or worktops allow screw fastening.
Capacity	Hollow space is available and accessible from both sides for numerous wires storage even with single organizer.
Length	 5m (Length can be customized on request and subject to MOQ.)
Weight	1 kg
Optional Color	Black, White



SP201 Premium / 2-tier Sit-Stand Workstation with Single or Dual Monitors Arm Set

Monitor Compatibility	(S) up to 32"; (D) up to 27" per monitor
Monitor Capacity	(S) (D) up to 17 lbs / 8 kgs
Total Payload Capacity	(S) (D) up to 27 lbs / 12.2 kgs
Product Lifting Range	480 mm / 18.9"
Individual Monitor Lifting Range	200 mm / 7.8"
Height (from desktop to Top Worksurface)	120 mm / 4.7" to 620 mm / 24.4"
Individual Monitor Rotation / Tilt	(S) (D) 360° / (S) (D) ±20°
Desktop Thickness	20-90 mm / 0.7"-3.5"
Top Worksurface Dimension	305 mm D x 570 mm W (12" x 22.4")
Retractable Keyboard Platform Dimension	240 mm D x 630 mm W (9.4" x 24.8")
Material	PU Coat on MDF, polished,

SP203 Classic / 2-tier Sit-Stand Workstation with Single or Dual Monitors Arm Set

Monitor Compatibility	(S) up to 32"; (D) up to 27" per monitor
Monitor Capacity	(S) (D) up to 17 lbs / 8 kgs
Total Payload Capacity	(S) (D) up to 27 lbs / 12.2 kgs
Product Lifting Range	480 mm / 18.9"
Individual Monitor Lifting Range	220 mm / 8.7"
Individual Monitor Rotation / Tilt	(S) (D) 360° / (S) (D) ±20°
Desktop Thickness	20-90 mm / 0.7"-3.5"
Top Worksurface Dimension	305 mm D x 570 mm W (12" x 22.4")
Retractable Keyboard Platform Dimension	240 mm D x 630 mm W (9.4" x 24.8")
Material	PVC finish on MDF, Iron parts

SP201A Premium 1 Top / 1-tier Sit-Stand Workstation with Single or Dual Monitors Arm Set

Aluminum, Iron parts





SP203A Classic 1 Top / 1-tier Sit-Stand Workstation with Single or Dual Monitors Arm Set







Single Monitor



Dual Monitor

Optional Color



Black



White



Silver





SP204 Articulating Desk Mount Laptop Arm Workstation for Large Laptops (≤17")

Compatibility	Supports any Laptops no larger than 17"
Capacity	2.5-9.0 kgs (5.5-19.8 lbs)
Height Range	450 mm (17.7")
Platform Swivel	180°
Upper Arm Pivot	180°
Desktop Thickness	20-90 mm (0.7"-3.5")
Ontional Color	



PC801 Articulating Desk Mount Laptop Arm Workstation for Small or Lightweight Laptops

Compatibility	Supports 11"-14" Laptops
Capacity	1.0-3.5 kgs (2.2-7.7 lbs)
Height Range	285 mm (11.2")
Platform Swivel	100°
Upper Arm Pivot	360°
Lower Arm Pivot	360°
Desktop Thickness	5-55 mm (0.2"-2.2")
Color	Silver



SP207E Electric Sit-Stand Workstation with Dual Monitors Arm Set & Keyboard Tray




Sufficient working space

The standing monitor arm equipped with a large keyboard tray 25" \times 9" / 630 \times 240 mm. With the single flattened worktop, it's designed to offer laptop users with sufficient level space to easily accommodate laptops in various sizes or other work gear.



SP208E Electric Sit-Stand Workstation with Dual Monitors Arm Set & Keyboard Tray and Clamp Base Design



This electric sit stand monitor arm convert traditional office desk into an active workstation. The standing desk arm features a keyboard tray and easy, smooth, all around height adjustment that allows users to arrange workstation up or down, left or right to meet your needs.




LCD Monitor Mounts



Height Adjustable Monitor Desk Clamp Set

Monitor Adaptation	Single			Dual	
code	SP601-SG	SP601-DG	SP601-S	SP601-S SP601a-D	
Color Variety			#		
	Gray	White	White	Gray	
Monitor Capability	up to 32"		up to 27	7" per monitor	
Monitor Rotation	30	60°		360°	
Tilt	+45°~-45°		+2	25°~-25°	
Extra Adjustment for Dual Monitor Adaptation ONLY			Arm Axis 170° on eithe Adjustable Viewing Dis on either side	r side stance +250 mm240 mm	
Base	desk clamp				
Worktop Thickness	10-90 mm (0.4"-3.54")				
Base Column Dimension	120 mm W x 570 mm H x 35-50 mm D				
Minimum Height (from desktop)	230 mm (9")				
Maximum Height (from desktop)	430 mm (16.9")				
Height Adjustability Control		concealed crank			
Material	Aluminum				
			Clamp or Grommet		



Articulating Wall mount for single monitor

Screen Compatibility	Suits the monitor \leq 27"
Vesa	75x75 mm to 100x100 mm
Capacity	3.8-8.1 kgs/ 8.4-17.8 lbs
Tilt	UP 90°; Down 45°
Pan	180°
Rotation	360°





PC301 Wall Monitor Mount

PC331 Curve Wall Monitor Mount

LCD Monitor Mounts –PC3 series

Articulating desk mount for single / multiple monitors

Screen Compatibility	Suits the monitor \leq 27" (PC311, PC312) Suits the monitor \leq 27" (PC313, PC314)
Vesa	75x75 mm to 100x100 mm
Capacity	3.8-8.1 kgs / 8.4-17.8 lbs
Tilt	UP 90°; Down 45°
Pan	180°
Rotation	360°
Base options	Clamp or Grommet
Optional Color	Silver White AppleRed MetalGray SparkSilver





PC311 Desk Monitor Mount







PC312 Desk Dual-Monitor Mount

PC313 Desk Triple-Monitor Mount

PC314 Desk Quad-Monitor Mount

LCD Monitor Mounts –PC702 series





Articulating Wall mount for single monitor

Mechanism Gas Spring

Screen CompatibilitySuits the monitor ≤ 24"Vesa75x75 mm to 100x100 mmWeight Capacity (EA)2-7 kgs / 4.4-15.4lbs

Tilt UP 90°; Down 45°

Pan 180° Rotation 360°

A=Arm Stem

Arm Type B=Adjustable Flexy Arm

C=Extended Adjustable Arm

Surface treatment Polish or Coating

PC702-W Series Gas Spring Wall Monitor Mount



PC702-W-01-A PC702-W-01-B PC702-W-01-C

PC702-S Series Gas Spring Wandklem Monitor Mount







PC702-S-01-A PC702-S-01-B PC702-S-01-C

Dual Fully Adjustable Gas-Assisted Desk Mounts

PC702-DC-02-C-L Dual Fully Adjustable Gas-Assisted Desk Mounts for 1 LCD Screen up to 27 inches and 1 Laptop Holder

Compatibility	Supports any Laptops no larger than 17"
Capacity	2.5-9.0 kgs (5.5-19.8 lbs)
Height Range	450 mm (17.7")
Platform Swivel	180°
Upper Arm Pivot	180°
Desktop Thickness	20-90 mm (0.7"-3.5")







Articulating desk mount for single / multiple monitors

Mechanism **Gas Spring** Screen Compatibility Suits the monitor ≤ 24" 75x75 mm to 100x100 mm Vesa

Weight Capacity (EA) 2-7 kgs / 4.4-15.4lbs **UP 90°; Down 45°** Tilt

Pan 180° Rotation 360°

Arm Type B=Adjustable Flexy Arm

C=Extended Adjustable Arm

A=Arm Stem

Surface treatment Polish or Coating

Base options Clamp or Grommet / Heavy load



PC702-DC, DG SERIES Single Gas Spring CLAMP Monitor Mount







PC702-DC-01-A

PC702-DC-01-B

PC702-DC-01-C

PC702-DC,DG-02 Dual Gas Spring CLAMP Monitor Mount









PC702-DC-02-A

PC702-DC-02-B

PC702-DC-02-C





- 1 Support makes 4-direction installation possible.
- 1 mount base gives multiple supports so as to freely arrange monitor settings as desired.

LCD Monitor Mounts –PC702 series



PC702-DC,DG-03 Triple Gas Spring CLAMP Monitor Mount





PC702-DC-03-B

PC702-DC-03-C

PC702-DC,DG-04 QUAD Gas Spring CLAMP Monitor Mount



PC702-DC-04-C-H

PC702-DC,DG-06 Six Gas Spring GROMMET Monitor Mount





PC702-DC-06-A+C-H

Screen Compatibility	Suits the monitor ≤24"for 3 to six monitors
Vesa	75x75 mm, 100x100 mm
Monitor Capacity	2-7.0 kgs/ 4.4-15.4 lbs
Tilt	UP 90°; Down 45°
IPan	180°
Rotation	360°
Worktop Thickness	Standard Base: 5-55 mm / 0.2"-2.1" Heavy Load Base: 18-90 mm / 0.7"-3.5"
Base Options	Standard (1-2 screens) Heavy Load (3-6 Screens)

A-Arm stem

B-Adjustable Flexy Arm C-Extended Adjustable Arm

Polish or Coating

Iron Base with Plastic Cover

Aluminum articulating arm & pole,



Arm Option

Surface treatment

Material





Mobile Phone Stand & Tablet Holder

IPKD-U 3-in-1 Foldable Tablet Stand Holder Mount

Compatible Model	Mobile Phone, iPad, Tab, Kindle and other tablet size of 4.7"-13"
Variety	Fits any mobile devices, phone, tablet size of 4.7"-13"
Tilt	Upwards 85°; Downwards 84°
Pan	180°
Screen Rotation	360°
Articulating Arm Swivel	360°
Screen Rotation	360°
Weight	550g







IPSR-U Articulating floor tall stand for tablet

C	Mobile Phone, iPad, Tab, Kindle and
Compatible Model	other tablet size of 4.7"-13"

Compatibility	Fits any mobile devices, phone, tablet size of 4.7"-13" by any maker
	Choose iPS-U for the standard weighted base.

Variety Choose iPSR-U for the rectangle-shaped weighted base.

Tilt Upwards 85°; Downwards 84°

180° Pan 360° **Screen Rotation Articulating Arm** 360°

Swivel









Mobile medical tablet rolling cart

AS-101 Lightweight mobile medical tablet rolling cart with basket

Compatible Models

Mobile Phone, iPad, Tab, Kindle and other tablet size of 4.7"-13"

Height 86.5cm~121cm(±1cm)

Base Material Iron
Wheel Dimension 3inch
Weight Capacity for 4kg

Basket Tube Material Iron

Basket Dimension 290x119x168mm

Total weight 5kg

Tilt Upwards 85°; Downwards 84°

Screen Rotation 360°

Compatibility

Fits any mobile devices, phone, tablet size of 4.7"-13" by any maker









CDG can customize OEM parts for your need of home/office/desk and monitor mount products which is easy to get a solution even on a tough deadline whatever your industry or ergonomic field request.

Monitor Mount Accessories



PC311 Arm Arm for PC311



PC301 Arm Arm for PC301



PC321 i-Mac Arm Arm for PC321 i-Mac



PC702 Arm Arm for PC702



PC311-VP PC311 VESA Plate



203-S-VESA-Plate SP203-S VESA Plate



PC321 i-Mac VESA Plate PC321 i-Mac VESA Plate



203-D-VESA-Plate SP203-D VESA Plate



SP203-D-KT SP203-D-Keyboard& Laptop Tray



SP204-KT SP204-Keyboard& Laptop Tray



PC801-KT PC801-Keyboard& Laptop Tray



PC702-LH PC702-Laptop Holder



PC311- DC PC311 Desk Clamp



PC311- PG PC311 Pole Grommet



SP601- DC SP601 Desk Clamp



SP601- PG SP601 Pole Grommet



PC702-SHT PC702 Screen Hanging Type



PC702-WM PC702 Wall Mount



PC702-HDC PC702 Heavy Desk Clamp+ Height Adjustable Pole



PC702-DB PC702 Desktop Base

OEM Solutions





Die Casting Aluminum Alley Parts – Monitor Arm and Base







PC702-033



PC702-041



PC702-042



PC702-063



SC170001-001-R02



SC170001-058A



SP201-011



SP201-012



SP201-023



SP301-142



SP301-143

Metal Working Parts – Bracket and Mobile Laptop Desk



CT001-003B



PC311-031-A



SP201-019



SP203-032



SP301-106



SP301-107



SP901-011



SP901-015



SP902-053



SP902-056



SP902-057



SP902-058

Plastic Injection Parts - Knob / Arm Connection / Base Cover



SP201-034



SP301-104



IT1204-011



IT1204-012



IT1216-001



PC702-064



SP301-105





TEST REPORT

Report No.: HL20178/2023 Page of : 1 Date : MAR. 06, 2023

C.D. Great Furniture Co., Ltd

No. 526, Sec. 1, Shenlin Rd., Daya Dist., Taichung City 428, Taiwan

The following merchandise was submitted and identified by the applicant as:

Product Description: OL002-Rolling Desk Cart

We have tested the submitted sample(s) as requested and the following results were obtained:

Refer to ANSI/ BIFMA X5.5-2021- American National Standard Test Requested:

for Office and Institutional Furnishings - Desk and Table Products - Tests

Clause 4.3 Stability under vertical load test Clause 5.2 Concentrated Functional Load Test

Clause 6 Top Load Ease Test - Cyclic Clause 7 Desk/Table Unit Drop Test

Clause 8 Leg Strength Test

Clause 15 Work Surface Vertical Adjustment Test

Clause 18 Durability Test for Desks and Tables with Casters

Test Method & Result: --- See following sheet(s) ---

Date of Receipt: Feb. 18, 2023

Testing period: Feb. 18, 2023 ~ Mar. 03, 2023



Signed for and on beh SGS Taiwan Ltd.

Stan Yang Team Leader

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at hidocuments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to s. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區(新北產業園區)五工路 127 號

+886 (02) 2299-3279 f+886 (02) 2299-2920

Our Product Video QR Code













